



Our company is located in China Hardware Capital---Yongkang City. We professionally develop and produce kinds of Aluminum Ladders, such as Telescopic Ladder, Multi-Purpose Ladder, Extension Ladder, Household Ladder, Platform Ladder, Scaffolding Ladder, Folding Ladder, Steel Step Ladder, accessory of ladders and related product.

The traffic of our company is very convenient. It is only one hour from Yiwu airport and a few hours from the Ningbo and Shanghai seaport, as well as the Shanghai international airport.

Our company has advanced production technologies, a group of excellent and professional technical staff and management team. Our products also carry SGS, EN131, GS, ANSI, AS/NZS, JIS, SG, BS, CE, EN14183 approval. Based on stable quality, competitive price, punctual delivery and effective communication, we get good reputation from customers and our products are sold to USA, UK, Germany, France, Russia, South America and Africa etc.

Our company has always adhered to "Quality First, Customer Uppermost" as our principle. We are looking forward to building win-win business relationships with you. Your support is our best power. Your satisfaction is our eternal pursuit.



ALUMINIUM

TELESCOPIC LADDER WITH SOFT CLOSE DESIGN 单面缓降伸缩梯 01

TELESCOPIC SCAFFOLD LADDER 伸缩式脚手架 02

TELESCOPIC LADDER 全铝单面伸缩梯 03

TELESCOPIC LADDER 全铝两用伸缩梯 04

TELESCOPIC LADDER 单面伸缩梯 05

TELESCOPIC LADDER 两用伸缩梯 06

TELESCOPIC LADDER 不等边伸缩梯 07

TELESCOPIC LADDER 等边伸缩梯 08

MULTI-PURPOSE LADDER 小关节折叠梯 09

MULTI-PURPOSE LADDER 大关节折叠梯 10

MULTI-PURPOSE LADDER 外八脚折叠梯 11

MULTI-PURPOSE LADDER 小巨人 12

MULTI-PURPOSE LADDER 特厚折叠梯 13

MULTI-PURPOSE LADDER 双关节人字梯 14

SINGLE STRAIGHT LADDER 单层直梯 15

EXTENSION LADDER 二层组合梯 16

EXTENSION LADDER 三层组合梯 17

SCAFFOLDING LADDER 脚手架 18

WORKING PLATFORM LADDER 工作台 20

HOUSEHOLD LADDER 普通家用梯 21

HOUSEHOLD LADDER D 型管家用梯 22

HOUSEHOLD LADDER 梯凳 23

STEEL STEP LADDER 大圆弧铁梯 24

STEEL STEP LADDER 中扶手铁梯 25

LADDER ACCESSORIES 梯子配件 26


OTHERS



TELESCOPIC LADDER WITH SOFT CLOSE DESIGN

单面缓降伸缩梯

- ▲ Strong and safe aluminium construction
坚固安全的铝合金结构
- ▲ Strong and safe aluminium construction
坚固安全的铝合金结构
- ▲ Practical and lightweight for all purposes
产品实用性强、比较轻便，可做多种用途
- ▲ Safe retraction through Soft-Close technology, won't trap fingers
使用缓降技术，梯子收起时不会伤到手指
- ▲ Adjustable to optimal height
可根据实际需要，调节到最佳使用高度
- ▲ Minimum space requirement as telescopic, easy to use and transport
可伸缩到最小体积，不占空间，易于使用和运输




Max load/ 最大承重 :150kgs Step distance 步距 :30cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLT208E	9	46	74	260	6.8	76x47.5x8(1pc/ctn)	1028	2319
DLT210E	11	47	80	320	8.8	82x48x8.5(1pc/ctn)	846	1911
DLT212E	13	47.5	86	380	11.0	88x48.5x9(1pc/ctn)	773	1744

TELESCOPIC SCAFFOLD LADDER 伸缩式脚手架

- ▲ Telescopic Mechanism allows 5 Adjustable Platform Heights from 1.00m to 2.00m (Working Heights from 3.00m to 4.00m)
伸缩式的结构 允许调节 5 种平台的高度，从 1.00 米到 2.00 米（工作高度可以达到 3.00 米到 4.00 米）
- ▲ Can be transported in a small van or estate car
可以放在一个小货车或旅行车里进行运输
- ▲ Comprises only two parts -- Tower and Platform (no more leaving parts in the yard)
此产品仅包括两个部分 -- 主体支架和平台（不会遗留其他零件在地上）
- ▲ Large Folding Aluminium Work Platform (1.40m x 0.60m) with climb through hatch
可通过舱口攀爬的大尺寸折叠式铝合金工作平台（1.40mx0.60 米）
- ▲ Integral Telescopic hand and knee rails
完整的伸缩式扶手和膝部护栏
- ▲ Integral Platform Stabilisers
完整的平台稳定装置
- ▲ Integral Stabilising Legs with 5 Optional Positions
完整的有 5 种位置可调的稳定支腿
- ▲ Lockable castors --Single Person Operation
可锁定脚轮 -- 可以单人操作
- ▲ Minimal Product footprint for ease of Transportation and Storage
产品占用空间的很小，便于运输和储存
- ▲ Includes Tower 32kg, Platform 10kg, Wheel Set 8 kg
重量包括主体支架 32kg，工作平台 10kg，移动稳定装置 8kg




Max load/ 最大承重 :150kgs Step distance 步距 :30cm

SPECIFICATION

Item NO	NO. of Step	Plate to ground (cm)	Folding size (cm)	Open size (cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLTSL210	2 x 10	200	88x78x43	300x145x91	50	90x80.5x45(1pc/ctn)	84	209

TELESCOPIC LADDER 全铝单面伸缩梯

- ▲ When fold, you need to press buttons on each rungs and close step by step.
当收缩梯子时,需要按踏步上的按钮,一边一边的按,一步一步的收缩。切勿两边同时按按钮。
- ▲ Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
可用于进入阁楼,清洗窗户、室内外装饰等。
- ▲ Compact design for easy storage.
紧凑的设计,方便存储。
- ▲ Lightweight & portable aluminum construction.
轻巧便捷的结构。




Max load/ 最大承重 :150kgs Step distance 步距 :30cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLT208F	9	46	74	260	6.5	76x47.5x8(1pc/ctn)	1028	2319
DLT210F	11	47	80	320	8.3	82x48x8.5(1pc/ctn)	846	1911
DLT212F	13	47.5	86	380	10.4	88x48.5x9(1pc/ctn)	773	1744

TELESCOPIC LADDER 全铝两用伸缩梯

- ▲ Telescopic straight ladder. 直伸缩梯
- ▲ Double telescopic ladder. 双面伸缩梯
- ▲ Stairway telescopic ladder. 台阶伸缩梯



Max load/ 最大承重 :150kgs Step distance 步距 :30cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLT705F	5 × 2	47	82	156	320	12.0	84 × 52.5 × 19.5(1pc/ctn)	330	770
DLT706F	6 × 2	47	85	183	380	13.5	87 × 52.5 × 20.0(1pc/ctn)	310	750
DLT707F	7 × 2	48	88	210	440	15.0	90 × 52.5 × 20.0(1pc/ctn)	300	720
DLT708F	8 × 2	48	91	237	500	17.8	93 × 52.5 × 20.5(1pc/ctn)	280	670


TELESCOPIC LADDER 单面伸缩梯

- ▲ When fold, you need to press buttons on each rungs and close step by step.
当收缩梯子时,需要按踏板上的按钮,一边一边的按,一步一步的收缩。切勿两边同时按按钮。
- ▲ Ideal for loft access, cleaning windows, interior and exterior painting and decorating etc.
可用于进入阁楼,清洗窗户、室内外装饰等。
- ▲ Compact design for easy storage.
紧凑的设计,方便存储。
- ▲ Lightweight & portable aluminum construction.
轻巧便捷的结构。




TELESCOPIC LADDER 两用伸缩梯

- ▲ Telescopic straight ladder.
直伸伸缩梯
- ▲ Double telescopic ladder.
双面伸缩梯
- ▲ Stairway telescopic ladder.
台阶伸缩梯



Max load/ 最大承重 :150kgs Step distance 步距 :30cm



Max load/ 最大承重 :150kgs Step distance 步距 :30cm

SPECIFICATION


Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLT206B	7	46	68	200	4.8	70 × 46.5 × 7.5(1pc/ctn)	1140	2572
DLT208B	9	46	74	260	6.5	76 × 47.5 × 8(1pc/ctn)	1028	2319
DLT209B	10	46.5	77	290	7.4	79 × 48 × 8.5(1pc/ctn)	879	1983
DLT210B	11	47	80	320	8.3	82 × 48 × 8.5(1pc/ctn)	846	1911
DLT212B	13	47.5	86	380	10.4	88 × 48.5 × 9(1pc/ctn)	773	1744
DLT213B	14	48	89	410	11.1	91 × 48.5 × 9(1pc/ctn)	747	1687

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLT705B	5 × 2	47	82	156	320	12.0	84 × 52.5 × 19.5(1pc/ctn)	330	770
DLT706B	6 × 2	47	85	183	380	13.5	87 × 52.5 × 20.0(1pc/ctn)	310	750
DLT707B	7 × 2	48	88	210	440	15.0	90 × 52.5 × 20.0(1pc/ctn)	300	720
DLT708B	8 × 2	48	91	237	500	17.8	93 × 52.5 × 20.5(1pc/ctn)	280	700

TELESCOPIC LADDER 等边伸缩梯

- ▲ This ladder has proved really popular with surveyors and home owners who have limited storage space at home.
调查发现这款梯子很受那些家里存储空间有限的家庭和个人。
- ▲ Easy to Extend and Folded.
伸缩自如。
- ▲ It can store in a car boot, under a work counter or in a cupboard.
可以存放在汽车后备箱, 柜台或者橱柜下。
- ▲ Compact design and safety lock.
紧凑的设计和安全的锁扣。



Max load/ 最大承重 :150kgs Step distance 步距 :30cm


TELESCOPIC LADDER 不等边伸缩梯



▲ Locking lever for multi-times fold
多次折叠锁扣



▲ Anti-slip foot 防滑脚套



Max load/ 最大承重 :150kgs Step distance 步距 :30cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLT506B	7+7	46	68	200	200	9.8	70.5 × 52.5 × 19 (1pc/ctn)	398	918
DLT508B	9+9	46	74	260	260	13.3	76.5 × 52.5 × 20 (1pc/ctn)	348	846
DLT509B	10+10	46.5	77	290	290	15.2	80 × 52.5 × 20 (1pc/ctn)	333	809
DLT510B	11+11	47	80	320	320	17.1	84 × 52.5 × 21 (1pc/ctn)	302	734
DLT512B	13+13	47.5	86	380	380	21.2	90 × 52.5 × 21 (1pc/ctn)	282	685

SPECIFICATION


Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLT608B	7+9	46	74	260	200	11.5	76.5 × 52.5 × 20 (1pc/ctn)	348	846
DLT810B	9+11	47	80	320	260	15.2	83 × 52.5 × 20 (1pc/ctn)	321	780
DLT1012B	11+13	48	86	380	320	19.1	90 × 52.5 × 21 (1pc/ctn)	282	685

MULTI-PURPOSE LADDER 小关节折叠梯

- ▲ Conforms to EN131 the European safety standard. 符合欧洲 EN131 安全标准。
- ▲ Aluminum construction with safelock steel hinges. 铝结构安全铰链设计。
- ▲ Twin stabilizer bars featuring large rubber feet. 两个稳定的大型橡胶脚。
- ▲ Non-Slip Aluminum Treads. 防滑铝踏板。
- ▲ More than 10 useful locking configurations. 超过 10 个有用的锁扣配置。



DLLA102
▲ Same function but different type compare with DLLA101. 和 DLLA101 相比，型号结构不一样，功能是一样的。



Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLM102	4 × 2	35	64	66	117	240	9.7	65 × 35 × 28(1pc/package)	471	1062
DLM103	4 × 3	35	92	94	170	352	11	93 × 35 × 28(1pc/package)	329	742
DLM104	4 × 4	35	120	122	223	464	12.4	121 × 35 × 28(1pc/package)	253	571
DLM105	4 × 5	35	148	150	276	576	13.7	149 × 35 × 28(1pc/package)	205	463



MULTI-PURPOSE LADDER 大关节折叠梯



- ▲ The ladder features over 13 different uses and combinations including a Straight Section Ladder, Step Ladder, Ladder Trestle, Ladder Stand Off, Stair Step Scaffold, Extension Work Platform and other combinations of these positions. 这款梯子超过 13 种用途和组合方式，包括直梯，梯子，支架梯，脚手架，工作梯和其他组合。



DLLA101
▲ This fast action Plam Trigger Highes are simple to operate and in steel zinc plated, which makes it resist rust and corrosion. 关节操纵杆操作简单，镀锌表面可以抗锈耐腐蚀。



Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLM203	4 × 3	35	95	97	173	358	12.0	96 × 35 × 26(1pc/package)	343	775
DLM204	4 × 4	35	123	125	226	470	13.3	124 × 35 × 26(1pc/package)	266	600
DLM205	4 × 5	35	151	153	279	582	14.7	152 × 35 × 26(1pc/package)	217	489
DLM206	4 × 6	35	179	181	332	694	16.0	180 × 35 × 26(1pc/package)	183	413

MULTI-PURPOSE LADDER 外八脚折叠梯

- ▲ Conforms to EN131 the European safety standard. 符合欧洲 EN131 安全标准。
- ▲ Aluminum construction with safelock steel hinges. 铝结构安全铰链设计。
- ▲ More than 10 useful locking configurations. 超过 10 个有用的锁扣配置。
- ▲ Non-Slip Aluminum Treads. 防滑铝踏板。
- ▲ Specially design strong construction. 特殊的设计，牢固的结构。
- ▲ Flared legs with slip resistant and no necessary to install stabilizer. 防滑喇叭梯脚，而且不用安装平衡杆。



DLLA102

▲ Same function but different type compare with DLLA101. 和 DLLA101 相比，型号结构不一样，功能是一样的。



Scaffold



A-frame step ladder




Step ladder/stool




Small straight ladder



Large straight ladder



9FT stand-off ladder




Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLM502	4 × 2	35	64	66	117	236	8.9	65 × 40 × 28(1pc/ package)	385	930
DLM503	4 × 3	35	92	94	170	348	10.2	93 × 40 × 28(1pc/ package)	270	650
DLM504	4 × 4	35	120	122	223	460	11.6	121 × 40 × 28(1pc/ package)	200	500
DLM505	4 × 5	35	148	150	276	572	12.9	149 × 40 × 28(1pc/ package)	170	400

MULTI-PURPOSE LADDER 小巨人

- ▲ Specially design strong construction. 特殊的设计，牢固的结构。
- ▲ Height adjustable rung by rung. 高度可通过一步一步来调节。
- ▲ Flared legs with slip resistant. 防滑喇叭梯脚。
- ▲ Lightweight and compact aluminum construction. 紧凑轻巧的铝结构设计。
- ▲ These amazingly versatile ladders is a 33 in 1 ladders, depending on your needs with the utmost safety. 一个梯子有 33 种用途，可以根据您的需要进行调节。
- ▲ Comforms to EN131 the European safety standard. 符合欧洲 EN131 标准。
- ▲ Aluminum construction with safelock steel hinges. 铝结构安全铰链设计。



Max load/ 最大承重 :150kgs Step distance 步距 :28cm


SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	F(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLM403	4 × 3	92	88	141	57	174	286	8.2	94 × 20 × 48(1pc/ctn)	310	760
DLM404	4 × 4	120	114	194	75	230	398	9.9	122 × 20 × 48(1pc/ctn)	240	580
DLM405	4 × 5	148	141	247	92	286	510	11.6	150 × 20 × 48(1pc/ctn)	200	470
DLM406	4 × 6	176	168	300	110	342	622	13.3	178 × 20 × 48(1pc/ctn)	170	400

MULTI-PURPOSE LADDER 特厚折叠梯



DLLA101
▲ This fast action Plam Trigger Highes are simple to operate and in steel zinc plated, which makes it resist rust and corrosion.
关节操纵杠杆操纵简单，镀锌表面可以抗锈耐腐蚀。



Max load/ 最大承重 :150kgs Step distance 步距 :28cm


SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLM807	4 × 7	38	211	388	20.2	213X39X27(1pc/ctn)	125	300
DLM808	4 × 8	38	239	441	22.0	241X39X27(1pc/ctn)	110	270
DLM809	4 × 9	38	267	494	23.8	269X39X27(1pc/ctn)	100	240

MULTI-PURPOSE LADDER 双关节人字梯



- ▲ Can be used as straight and double-side ladder.
可以用做人字梯和直梯。
- ▲ This fast action Plam Trigger, Highes are simple to operate and in steel zinc plated, which makes it resist rust and corrosion.
关节操纵杠杆操作简单，镀锌表面使其抗锈和耐腐蚀。




Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLM307	2 × 7	202	184	397	7.7	202 × 14 × 38(1pc/package)	343	775
DLM308	2 × 8	230	210	453	8.5	230 × 14 × 38(1pc/package)	266	600
DLM309	2 × 9	258	236	509	9.4	258 × 14 × 38(1pc/package)	217	489
DLM310	2 × 10	286	262	565	10.4	286 × 14 × 38(1pc/package)	183	413

SINGLE STRAIGHT LADDER 单层直梯

▲ It is made of anodized aluminum, which provides a durable and rus-resistant surface and is smooth to touch.
它有铝阳极氧化而成，具有耐用耐腐蚀的光滑表面。




Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLE106	6	170	38	2.6	170x38x7(1pc/package)	698	1596
DLE107	7	198	38	3.0	198x38x7(1pc/package)	578	1368
DLE108	8	226	38	3.4	226x38x7(1pc/package)	534	1200
DLE109	9	254	38	3.8	254x38x7(1pc/package)	488	1116
DLE110	10	282	38	4.2	282x38x7(1pc/package)	432	960
DLE111	11	310	38	4.6	310x38x7(1pc/package)	216	720
DLE112	12	338	38	5.0	338x38x7(1pc/package)	216	720
DLE113	13	366	38	5.4	366x38x7(1pc/package)	216	720

EXTENSION LADDER 二层组合梯



Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLE206	2 × 6	170	254	35	41	6.0	170x41x11(1pc/package)	437	1036
DLE207	2 × 7	198	310	35	41	6.8	198x41x11(1pc/package)	360	888
DLE208	2 × 8	226	366	35	41	7.6	226x41x11(1pc/package)	336	769
DLE209	2 × 9	254	422	35	41	8.4	254x41x11(1pc/package)	282	690
DLE210	2 × 10	282	478	35	41	9.2	282x41x11(1pc/package)	264	592
DLE211	2 × 11	310	534	35	41	10	310x41x11(1pc/package)	132	441
DLE212	2 × 12	338	590	35	41	10.8	338x41x11(1pc/package)	132	441
DLE213	2 × 13	366	646	35	41	11.6	366x41x11(1pc/package)	132	441

EXTENSION LADDER 三层组合梯

- ▲Use for domestic or industrial.
可家用和工业用。
- ▲Strong mechanism aluminum construction.
稳定的结构。
- ▲Non-slip tread.
防滑踏板
- ▲Easy to operate, easy to carry & easy to storage.
易操作，易搬动，易储存。



Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	F(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLE306	3 × 6	170	254	338	33	41	46	8.9	170x46x16(1pc/package)	269	630
DLE307	3 × 7	198	310	422	33	41	46	10	198x46x16(1pc/package)	240	540
DLE308	3 × 8	226	366	506	33	41	46	11.3	226x46x16(1pc/package)	215	468
DLE309	3 × 9	254	422	590	33	41	46	12.6	254x46x16(1pc/package)	178	430
DLE310	3 × 10	282	478	674	33	41	46	13.9	282x46x16(1pc/package)	145	361
DLE311	3 × 11	310	534	758	33	41	46	15.2	310x46x16(1pc/package)	131	329
DLE312	3 × 12	338	590	842	33	41	46	16.5	338x46x16(1pc/package)	121	301
DLE313	3 × 13	366	646	926	33	41	46	17.8	366x46x16(1pc/package)	111	278

SCAFFOLDING LADDER 脚手架

- ▲Step ladder
步梯
- ▲Extension ladder
抽拉梯
- ▲Work platform
工作台
- ▲Compact design
紧固设计
- ▲Lightweight and strong
轻巧坚固
- ▲Aluminum and plywood construction
铝合金胶合板结构



Max load/ 最大承重 :150kgs Step distance 步距 :28cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLSL101-6	2 × 6	160	168	160	276	15.2	170x16x42(1pc/ctn)	245	595
DLSL101-7	2 × 7	160	196	186	332	16	198x16x42(1pc/ctn)	210	510



WORKING PLATFORM LADDER 工作台

- ▲ PortableLight weight, easy to carry and set up. Convenient to store
轻巧，易于携带，使用方便，易于储存。
- ▲ Slip-Resistant Provides a non-skid area for standing
表面有防滑设计
- ▲ Non-Marring Provides slip-resiatance and protects floor form damage.
防滑脚套，同于用于保护地板。




DLW201



DLW202

Max load/ 最大承重 :150kgs




SPECIFICATION

Item NO	Platform Size	A(cm)	B(cm)	C(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLW201	76 × 30	50	110	41	3.5	79X42X16(1pc/ctn)	530	1300
DLW202	76 × 30	50	110	41	4.5	79X42X16(1pc/ctn)	530	1300

HOUSEHOLD LADDER 普通家用梯



Front side of top step




Max load/ 最大承重 :150kgs Step distance 步距 :20cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	n.w.(kg)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLH103	3	110	59	59.5	40.5	2.6	118x12x40.5 (1pc/polybag)	497	1500
DLH104	4	130	79	73.2	42.5	3.0	139x12x42.5 (1pc/polybag)	401	1230
DLH105	5	150	99	85	45	3.5	160x12x45 (1pc/polybag)	328	1050
DLH106	6	170	119	97	47.5	3.9	181 x12x47.5 (1pc/polybag)	274	860
DLH107	7	188	139	113	50	4.3	202x12x50 (1pc/polybag)	232	740
DLH108	8	209	159	122	52.5	4.8	223x12x52.5 (1pc/polybag)	216	700
DLH109	9	229	179	136	55	5.3	244x12x55 (1pc/polybag)	216	640

HOUSEHOLD LADDER D 型管家用梯





Max load/ 最大承重 :150kgs Step distance 步距 :24cm

SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLH303	3	113	74	63.5	42	3.6	126x5.5x47 (1pc/polybag)	788	1913
DLH304	4	145	98	75	45	4.4	152x5.5x51 (1pc/polybag)	602	1462
DLH305	5	168.5	123	92	48	5.2	178x5.5x55 (1pc/polybag)	476	1157
DLH306	6	189.5	147	102	51	6.0	198x5.5x59 (1pc/polybag)	400	970

HOUSEHOLD LADDER 梯凳



Max load/ 最大承重 :150kgs Step distance 步距 :25.5cm


SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLH502	2 × 2	49	41	36	53.5	1.4	56 × 38 × 50(4pcs/ctn)	754	1832
DLH503	2 × 3	73	58	38	79	2.1	81.5 × 40 × 50(4pcs/ctn)	496	1204
DLH504	2 × 4	97	75	40	104.5	2.8	106 × 42 × 50(4pcs/ctn)	362	878
DLH505	2 × 5	121	92	42	130	3.5	132 × 44 × 50(4pcs/ctn)	280	679

ROUND TUBE STEP LADDER 大圆弧铁梯



Safety lock



Max load/ 最大承重 :150kgs Step distance 步距 :24cm

SPECIFICATION


Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLS202	2	90	47.5	49	47.5	4.5	99 × 31 × 48(4pcs/ctn)	800	1860
DLS203	3	115	72	65	47.5	6.0	126 × 31.5 × 48.5(4pcs/ctn)	628	1460
DLS204	4	140	96.5	81	47.5	7.8	153 × 31.5 × 48.5(4pcs/ctn)	520	1210
DLS205	5	164	120	99	47.5	9.4	179 × 31.5 × 48.5(4pcs/ctn)	440	1000
DLS206	6	188	145	117	47.5	10.6	206 × 31.5 × 48.5(4pcs/ctn)	360	860

ROUND TUBE STEP LADDER 中扶手铁梯

- ▲ Easy to carry and safe to use
轻巧易于安全使用
- ▲ Non-slip tread
防滑脚踏



Max load/ 最大承重 :150kgs Step distance 步距 :24cm



SPECIFICATION

Item NO	NO. of Step	A(cm)	B(cm)	C(cm)	D(cm)	N.W(kgs)	Packing Size(cm)	20GP(pcs)	40HQ(pcs)
DLS302	2	88	47.5	46.5	48	4.5	97 × 33 × 48(4pcs/ctn)	784	1800
DLS303	3	113	72	65	48	6.0	121 × 33 × 48(4pcs/ctn)	576	1390
DLS304	4	137	96.5	83	48	7.8	147 × 33 × 48(4pcs/ctn)	464	1132
DLS305	5	161	120	101	48	9.4	173 × 33 × 48(4pcs/ctn)	408	992
DLS306	6	185	144	119	48	10.6	199 × 33 × 48(4pcs/ctn)	356	864



LADDER ACCESSORIES 梯子配件



Hinge 铰链




DLLA102 小关节



DLLA101 大关节

Workshelf 小平台





DLLA201

- ▲ It fits on multi-purpose ladder rungs
适用于多功能梯
- ▲ Material: steel
钢铁制品
- ▲ Powder coated
外层喷塑
- ▲ Non-slip surface
防滑表面



Scaffold Platform 脚手架铁板



DLLA301 大小铁板

- ▲ It is used when multi-purpose ladder in scaffold position
适用于做脚手架时的多功能梯
- ▲ 2pcs/set, max loading: 150kgs
每套 2 件, 最大承重 150kg
- ▲ Material: steel
钢铁制品
- ▲ Powder coated
外层喷塑
- ▲ Non-slip surface
防滑表面

