

X-PRO



- a) 13KG only portable Design
- b) One-Second Easy-Folding
- c) Luxury LCD display & 3 drive mode options
- d) 36V7.8Ah Lithium battery, Max. 30km range
- e) Water-proofed design, safe & stable drive
- f) 1-year Warranty for whole escooter

Unfolding size: 180*430*114mm

Folding Size: 1080*430*490mm

Motor: 250w/350w brushless motor

Battery: 36V 6A /36V7.8Ah

Light: LED light

Frame material: Full Aluminium

Charge volt: AC100V-240V, 50/60HZ

Charge time: 3-5hours

Max speed: 25 km/h

Max range: 20-30km

Max load: 120kgs

Tire size: 8.5" with tube, Solid type is optional

Bluetooth & APP: Optional, Yes.

Brake: Rear eBike + Disc brake

N.W./G.W.: 13/16 KGS

Packing: 115*19*52CM, 1PC/CTN, paper carton with foam.

Conveyance: 248pcs/20'gp, 630pcs/40'HQ

Production leadtime, 3~ 25 days.

For 1 x 20'GP

36V6AH China Lihium, 20km, FOB Ningbo

36V7.8AH China Lihium, 30km, FOB Ningbo

App function, plus

over than 50pcs, free laser logo on deck

over than 1 x 20'gp, customized logo on carton, free charge.

Solid tires upgrading, plus

Over than 500pcs, Rent -sharing version with IOT, plus.....

Sharing Solution development is negotiable if over than 1000 units



2020 New Design 6.5inch Kid eScooter ES002K



Unfolding size: 960 *430*1070 MM

Folding Size: 960*430*430 MM

Pedal board height : 91 mm

Tire size: 6.5" rubber solid tire

Motor: 250w brushless motor , 15-degree climbing

Battery:36V 4Ah/ 36V5Ah

LED lights & LED Display

Frame material: Aluminium alloy + ABS + PC , IPX4

Charge volt: AC 100V-240V, 50/60HZ, 3 hours

Max speed: 2 gears, 12-25km/h

Max range: 10-12km

Max load: 100 KG

Brake: No front brake, Rear ebike & Mechanic Disc brake

N.W/G.W.: 11kg/13.5kg

Packing:Package: 99.5 *17.5 * 44.5CM (foam + color box + paper carton)


Conveyance : 380 pcs/20'gp, 940pcs/40'HQ

For 1 x 20'GP

36V4AH China Lihium , 12 km, FOB Ningbo.....

36V5AH China Lihium , 15 km, FOB Ningbo

MOQ: 50PCS



Dual Suspension 8.5inch eScooter ES002-X8

Scooter size: 1100*430*1100mm

Folding size: 1100*430*420mm

Tire: 8.5 inches solid tire(non-inflatable)

Patented shock absorber design on front & Rear

Motor: 350W motor

Battery: Max. 25km, 36V,7.5 -12.5 Ah Lithium, Removable

Modes: 15km/h, 20km/h

Frame material: Aluminium alloy +magnesium alloy

Travel range: 20-45km.

Brake: Front E-Brake + Rear Disc brake+ Foot Brake

Display: LCD Dashboard

Light: LED light

Charger: 42v 2.0A / UL certified, 4 hours

Silicone foot pad

Bell and brake light: Yes

Bluetooth & APP: Yes

G/N W:16/12KGS

Max load:120kgs

Conveyance : 230pcs/20'gp, 500pcs/40'HQ



For 1 x 20'GP, we have the best prices

36V7.5AH China Lihium , 25km, FOB Ningbo

36V10 AH China Lihium , 30km, FOB Ningbo

36V12.5AH China Lihium , 35km, FOB Ningbo



8Inch ECO Folding eScooter ES002-X8



Battery Capacity	36V10.4Ah [36V21Ah, + \$60]	48V13Ah
Battery Type	SINC 18650 Li-ion battery	
Power	350W(BLDC)	500W(BLDC)
Tire(size)	8 inch (pneumatic tire in front and solid tire in rear)	
Max Speed	35km/h	40km/h
Display	LCD intelligent display	
Speed Adjustment	Yes (three level)	
Cruise Control	Yes	
Charging Time	5hours [8Hours]	7hours
Max Load	120kg	
Max Range	30km [65km]	45km
N.W	15-18kg	
Suspension	shock absorber in front	
Brakes	drum brake + e-brake	
Color	black, white, red	
Frame	aluminum alloy	
Folding Size	990x190x340mm	
FOB NINGBO	Unit (MOQ 20PCS)	Unit (MOQ 20PCS)
	Unit (MOQ 100PCS)	Unit (MOQ 100PCS)
	Unit (MOQ ≥200PCS)	Unit (MOQ ≥200PCS)

Remark:

* Seats +

* Produce time : 25 days for one 40'HQ (350pcs)

* Upgraded with 85MM wide solid tire & Rear Shock absorber , plus

* Order sample extra pay unit .

* Warranty period: 1-year for battery ,controller, motor, rest 6 months.



A LCD Display



B Front Suspension



C Front Light



Bottom

Charging Port



D T Bar



E Motor



F Drum Brake



10inch Luxury Folding eScooter ES002-X10

Battery Capacity	36V10.4Ah [36V21Ah, + \$60]	48V15.6Ah
Battery Type	SINC 18650 Li-ion battery	
Power	450W(BLDC)	800W(BLDC)
Tire(size)	10 inch x 2.25" (pneumatic tires)	
Max Speed	38km/h	42km/h
Display	LCD intelligent display	
Speed Adjustment	Yes (three level)	
Cruise Control	Yes	
Charging Time	5hours [8Hours]	7hours
Max Load	120kg	
Max Range	30KM [65KM]	55KM
N.W	19-26kg	
Suspension	shock absorber in front & Rear	
Brakes	front & rear drum brake + e-brake	
Color	black/white	
Frame	aluminum alloy (#6061-T6 aviation grade aluminum)	
Folding Size	1260 x 295x 445 mm	
FOB NINGBO	Unit (MOQ 20PCS)	Unit (MOQ 20PCS)
	Unit (MOQ 100PCS)	Unit (MOQ 100PCS)
	Unit (MOQ ≥200PCS)	Unit (MOQ ≥200PCS)

Remark:

* Seats +.....

* Produce time : 25 days for one 40'HQ (270pcs)

* Order sample extra pay USD.....unit .

* Warranty period: 1-year for battery ,controller, motor, rest 6 months.



A Key Box



B Front Suspension



C Disc Brake



Waterproof Line

Bottom



D Detachable Motor



E Rear Suspension



F 10 inch Tire

10 inch Sport Folding eScooter ES002-X10S

Battery Capacity	48V13Ah	60V17.5Ah
	SINC 18650 Li-ion battery	
Battery Type	SINC 18650 Li-ion battery	
Power	Geared Motor 500W	1000W x 2
Tire(size)	10 inch x 2.25 (pneumatic tire)(CST brand)	
Charging Time	6hr	9hr
Max Load	150kg	
Max Speed	33km/h	60km/h
N.W	20kg	26kg
Display	LCD intelligent display	
Light	LED (3W)	
Speed Adjustment	Yes (three level)	
Max Speed Limit	Yes	
Cruise Control	Yes	
Max. Permissible Gradient	25°	35°
Max Range	50km	80km
Suspension	C type	
Brakes	Front & Rear Hydraulic brake + EABS	
Frame	Forged aluminum alloy	
Vehicle Open Size	1235*575*1267mm	
Packing Size	1320*305*520 mm	
Unit (MOQ 20PCS)		Unit (MOQ 20PCS)



1200w X 2 Dual Motor Full suspension eScooter ES002-X11



1. Frame material : alloy
2. Rated power of motor: brushless 1200W X 2 , can select single/dual mod
3. Battery: 52v15Ah Lithium , 52v18Ah Lithium, 800 cyclings.

4. Tire size : 10" Pneumatic

5. Max. Speed : 25-45-65KM/H

6. Range per charge: 40 - 50 km

7. Charge voltage: AC 90V-260V, CA standard

8. Charge time: 4 - 6 h

9. Max. Load: 120 KG

10. Folding: easily fold-up within 5 seconds

4 front + 1 rear suspension shock absorbers

11. Brake: Front & Rear: Mechanic Disc brakes

12. Net Weight: 25 kg

13. Gross Weight: 28 kg

14. Size of Packing: 120 x 27 x 49 cm

15. Conveyance: 173 pcs/20'fcl, 425pcs/40'HQ

For 1 x 20'GP, we have the best prices

52v15ah lithium battery, 1200w x2 , FOB Ningbo

52v18ah lithium battery, 1200w x2 , FOB Ningbo

Optional seat , pluspc



12inch Luxury 48V1600W EVO X800B



1. Frame material : High-tensile Steel
2. Product Size: 1195* 615* 1110 MM
3. Motor: **UNITE brush 200w/500w/1000w, Brushless 1600W/2000w**
4. Max. Load: 120 KG
5. Battery: **4 X 12V12Ah free-maintenance lead-acid batteries, 1-year warranty**
OR 48v12 ~ 20Ah Lithium Battery optional, 2-year warranty
6. Range per charge: 25 - 60 km
7. Max. Speed : 25-50 km/h (European Standard max. 25km/h)
8. Charge time: 6 - 8 h
9. Charge voltage: AC 90V-260V
10. Tire size : 200w/500w/1000w **CST 3.50-4 (10" inch) Road/Grass tire**
1600W/2000W INNOVA 90/65-6.5 (12" inch) road/off-road Tire with tube
1600w/2000w, CST 14" big wheel optional, plus/scooter.
11. Deck : ABS Resin-QR
12. Handle bar: Billet Stem- 20" Race Bars
13. Folding: Patent design, easily fold-up within 5 seconds
14. **Brake: Wuxing front & Rear Disc brakes, with parking brakes**
15. Net Weight: 46kg
16. Gross Weight: 48kg
17. Size of Packing: 117 x 31 x 51 cm
18. Conveyance: 150pcs/20'fcl, 350pcs/40'HQ
19. **LED headlight with horn : Yes**
20. **LED Taillight & Brake light : Yes**
21. **Saddle & Seat-post , yes. if you don't need, reducepc.**
22. **EMC/MD/UL/MSDS/UN38.3 Certificate : Yes**

For 1 x 20'GP, we have the best prices

36V12Ah SLA , 200W/500w @22km, FOB Ningbo.....

48V12Ah SLA , 1000w @25km, FOB Ningbo

48V12Ah SLA, 1600w @ 30km, FOB Ningbo

48V12Ah lithium, 1600w @ 30km, FOB Ningbo

48V20Ah lithium, 2000w @ 60km, FOB Ningbo

Golden shocks & brakes & Wood deck, plus



Front disc brake




Rear suspension



Chain Drive



Rear disc brake




Battery



V-type



Wuxing Brake levers with park function



Bulk Production



Container conveyance



W/Golden shock & Brake, Wood deck



14inch big wheels

Fashion 1600W ELECTRIC SCOOTER X800D



1. Frame : High-tensile Steel, Wood deck

2. Motor: brushless 1600W/2000W

3. Battery: 12V12ah x 4pcs SLA batteries, 400 cycling

Optional 48v12Ah or 48v 20ah Lithium, 2-year warranty,800 cycling

4.Tire size : 145/70-6 Pneumatic, fat tire

5. Max. Speed : 25-45 km/h (European Standard max. 25km/h)

6. Range per charge: 35 - 60 km

7. Charge voltage: AC 90V-260V, EU/US/AU/KC standard

8. Charge time: 4 - 6 h

9. Max. Load: 120 KGS

10.Folding: Patent design, easily fold-up within 5 seconds

**Both front & rear shock dual shock absorbers suspension
high strength LED headlamp**

11. Brake: Front & Rear Disc brakes, with parking brakes

12. Net Weight: 45 kg

13. Gross Weight: 50 kg

14. Size of Packing: 149 x 38 x 85 cm

15. Conveyance: 56 pcs/20'fcl, 136 pcs/40'HQ

16. Horn : Yes


17. Saddle & Seat-post : Yes.

For 1 x 20'GP, we have the best prices

48V12Ah SLA battery, 1600w, 30KM, FOB Ningbo

48V20Ah Lithium battery, 1600w, 60KM, FOB Ningbo

48V20Ah Lithium battery, 2000w, 50KM, FOB Ningbo



1600W DIRT ELECTRIC SCOOTER X800E



1. Frame material : High-tensile Steel, Italy classical Design
2. Rated power of motor: brushless 1600W
3. Battery: 12V12ah x 4pcs SLA batteries, 400 cycling

OR 48v20ah Lithium, 2-year warranty,800 cycling

4.Tire size : 145/70-6 Pneumatic, fat tire

5. Max. Speed : 25-45 km/h (European Standard max. 25km/h)

6. Range per charge: 35 - 60 km

7. Charge voltage: AC 90V-260V, EU/US/AU/KC standard

8. Charge time: 4 - 6 h

9. Max. Load: 120 KG

10.Folding: Patent design, easily fold-up within 5 seconds

Both front & rear shock absorber suspension

Two high strength LED headlamp - 3 working modes

11. Brake: Front & Rear Disc brakes, with parking brakes

12. Net Weight: 50 kg

13. Gross Weight: 55 kg

14. Size of Packing: 139 x 36 x 58 cm

15. Conveyance: 100pcs/20'fcl, 220pcs/40'HQ

16. Horn : Yes

17. Saddle & Seat-post : Yes.

For 1 x 20'GP


48V12Ah SLA battery, 1600w, 30KM, FOB Ningbo.....

48V20Ah lithium, 1600w, 60KM, FOB Ningbo

Dual Big LED headlight is optional, plus.....

Rear bag, plus

Wood anti-slide deck , pluspc



BULK PRODUCTION & packing Way



With anti-slide wood deck, plus

2019 New Full alloy frame eScooter ES002-A01



Dimension of Vehicle: 1300*560*1030MM
 High strength aluminum alloy 6061, surface paint
Integrative molding Front fork and back fork
 12inch 48V 250W/350W Brushless Geared high-speed motor
 48v 6 tube Sine wave Brushless controller
 48V10Ah/12Ah/15Ah 1865 type cylinder Cell Lithium battery
Liquid crystal instrument Liquid crystal instrument
 with speed, temperature, electric quantity display and fault display
 One key start
Front and rear integrated Mechanic disc brakes ,
 Free of harmful substances, Meet international environmental
 Aluminum alloy forged brake handle with power off function
 CST tire 12.5*2.25 with Tube
LED convex mirror type high-brightness headlamps and running lights
 Max. Speed: 25KM/H
 Driving range : 45-55KM
 Packing size: 133*23*62CM, 1pcs/ctn, paper carton with foam
 G/N W: 24/26.5KGS
 Max load: 120kgs
 Conveyance : 129pcs/20'gp, 360pcs/40'HQ

For 1 x 20'GP

48V10Ah Lithium ,45KM, FOB Ningbo

48V12Ah Lithium ,50KM, FOB Ningbo.....

48V15Ah Lithium ,55KM, FOB Ningbo

Front alloy Basket & Rear alloy rack is optional,

Upgrading into 3-wheel version ES002-A01T,

— Brake - Front & rear disc brake	— LCD Display	— Fork - Suspension rear fork
— Tires - F/r 12	— Lights - front and rear lights	— Motor - 48V 250W rear hub brushless motor
Other side	Stably bulk production since 2019	3-wheel version, more stable

ECO 3-Wheel Scooter Zappy G3



Selling Points :

Speed Up To 20MPH

Chromed T-type handlebar, quick reaction on direction change

Seperate controller box fixed in the front

12 mosfet CVT easy-adjustment controller, easy to handle

Reverse gear

LED front & Back lights

Removable Wide comfortable seat

1. Motor: brushless 350w/500w

2. Battery: Tianneng/Chiwee 36v/48V 12Ah/20Ah SLA/li-ion Battery

3. Max Speed: 25 ~ 35 Km/h

CVT Adjustable Speed-limitation & Reverse gear

4. Range: 35 - 70 Km

5. Front wheel: KENDA 16" x 3.0 Vaccum tire

Rear wheel: Qingda 3.00-4 pneunatic tyre with tube

6. Max Loading Capacity: 120 Kg

7. Brakes : handle brake (front) drum brake & parking brake

8. Charge time: 5- 8 hours

9. Charge volt: 110V-230V 50HZ/60HZ

10. Charger output: 36V/48V 2A

11. Certificate of Vehicle : EMC/LVD/CE/UL/UN38.3/MSDS

12. Optional color : Red/Pink/White/Black/Sky Blue/ Orange/ Yellow/ Gree

13. OEM/Dealership support: OK.

14. Packing Way & Size: 1pcs/ctn, 76 x 65 x 65 cm

15. N.W/G.W: 52kg/56 kg

16. Container Loading: 81 pcs/20'GP, 216 pcs/40'HQ

Based on 1 x 20'gp, we have the best price as follows

36v/12ah SLA, 350w, 30KM@25KPH, FOB Ningbo.....

48v/12ah SLA, 500w, 35KM@25KPH, FOB Ningbo

48v/12ah Lithium, 500w, 35KM@25KPH, FOB Ningbo

48v/20ah Lithium, 500w, 70KM@25KPH, FOB Ningbo

LED headlight Integrated with Horn: Plus

LED rear lights & brake Light:

Strong Steel basket:

Wide Saddle & seat-post :

Optional Luxury backrest as photo :

70KM Long Range 3 Wheel Scooter Zappy G3 PLUS



1. Motor: brushless 1000W

2. Battery: 48V 20Ah SLA/li-ion Battery

3. Max Speed: 25 ~ 35 Km/h

CVT Adjustable Speed-limitation & Reverse gear

4. Range: 70 Km

5. Front wheel: KENDA 16" x 3.0 Vaccum tire

Rear wheel: Qingda 3.00-4 pneunatic tyre with tube

6. Max Loading Capacity: 120 Kg

7. Brakes: handle brake (front) drum brake & parking brake

8. Charge time: 5- 8 hours

9. Charge volt: 110V-230V 50HZ/60HZ

10. Charger output: 36V/48V 2A

11. Certificate of Vehicle : EMC/LVD/CE

12. Default accessories : LED headlight with Horn/wide seat/strong basket

13. Packing Way & Size: 1pcs/ctn, 76 x 65 x 65 cm

14. N.W/G.W: 64kg/68 kg

15. Container Loading: 81 pcs/20'GP, 216 pcs/40'HQ

Based on 1 x 20'gp

48v/20ah SLA, 1000w, 70KM@25KPH, FOB

48v/20ah Lithium, 1000w, 70KM@25KPH, FOB Ningbo

Folding 3-wheel Electric Scooter Zappy G3-3



1. **Motor: front brushless hub motor 500W**
2. **Battery: 48V 12Ah SLA/48V12~20AH LG Li-ion Battery**
3. **Max Speed: 25 ~ 35 Km/h**
- CVT Adjustable Speed-limitation & Reverse gear**
4. **Range: 35 ~ 70 Km**
5. **Wheel: Front 16"x2.5" Grass tire, Rear 14"x2.125"**
6. **Max Loading Capacity: 150 Kg**
7. **Brakes: handle brake (front) drum brake & parking brake**
Rear double Disc brakes. with 2 lock point brake level
8. **Charge time: 6- 8 hours**
9. **Charge volt: 110V-230V 50HZ/60HZ**
10. **Charger output: 48v 2A for SLA battery/48V 3A for Lithium**
11. **Certificate of Vehicle : EMC/LVD/CE**
13. **Default : LED headlight/Horn/wide seat/basket with big backrest**
14. **Packing Way & Size: 1pcs/ctn, 820*730*490mm**
15. **N.W/G.W: 57kgs/62kgs**
16. **Container Loading: 95PCS/20" GP 190PCS/40 GP 200PCS/40"HQ**

Based on 1 x 20'gp

48v12ah Lead-acid battery. 500w , FOB Ningbo

48v12ah Lithium-lion battery. 500w , FOB Ningbo

48v20ah Lithium-lion battery. 500w , FOB Ningbo



1000W Three Big Wheels Mobility Scooter ZAPPY G4




1. **Motor: brushless 1000w**
2. **Battery: 48V 20Ah SLA/li-ion Battery**
3. **Max Speed: 25 ~ 35 Km/h**
- CVT Adjustable Speed-limitation & Reverse gear**
4. **Range: 50 ~ 80 Km**
5. **Wheel: 3.00-10 vacuum tire X 3 wheels**
6. **Max Loading Capacity: 150 Kg**
7. **Brakes: handle brake (front) drum brake & parking brake**
8. **Charge time: 6- 8 hours**
9. **Charge volt: 110V-230V 50HZ/60HZ**
10. **Charger output: 48v 2.5A**
11. **Certificate of Vehicle : EMC/LVD/CE**
12. **Optional color : Red/Pink/White/Black/Sky Blue/ Orange/ Yellow/ Gree**
13. **Default accessories : LED headlight/Horn/wide seat/strong basket**
14. **Packing Way & Size: 1pcs/ctn, 83 X 83 X 45 cm**
15. **N.W/G.W: 76 kg/ 90 kg**
16. **Container Loading: 70 pcs/20'GP, 140 pcs/40'HQ**

Based on 1 x 20'gp

48V20Ah SLA, 1000w , FOB Ningbo

48V20Ah Lithium, 1000w , FOB Ningbo



Super Luxury Mobility Scooter Zappy G3-S

Scooters



Selling Points :

8-10 Hours charge time

1000w motor, Speed Up To 20MPH

3 Wheel Disc Brakes

Reverse Gear

Easy On & Off

Durable High Performance Front Suspension alloy fork
LED front & Back lights

Removable Wide comfortable seat with back rest

Adjustable Rear View Mirrors

Cell Phone Charge Dock

Specification :

Frame: Rein-forced steel

Size of Vehicle (L.*W.*H.) : 1140*740*1260 MM

Battery: 48v12Ah CHIWEE/TIANNENG SLA battery, 400 cyclings

Motor: 48v1000w brushless hub motor
Brake : 3 wheel disc brakes

Front Wheel: **Grass tyre 16 X 2.5" with tube.**
[Road tyre 3.00-10" vacuum is optional, same price]
Rear Wheel: 12" (4.1-3.5-6) big wheel with tube.

Max. speed: 20 MPH

Max. Loading capacity: 120kg
Driving Range: 35 - 70KM

Packing Size: 82 x 75 x 48 CM

N.W./G.W.: 45KG/ 49KG

Conveyance : 95pcs/20'gp, 220 pcs/40'HQ

Color options : Red/Blue/Silver/Black/Orange ...

Based on 1x 20'GP, FOB Ningbo.....

Optional:

1) Basket, plusPhone holder with charge dock, plus \$5.00

2) Golf rack, plus

3) Super Luxury Mobility Scooter seat, plus

4) Upgrading into 350w x2 Dual wheel rear drive, plus

5) 48v12Ah lithium battery, 800 cyclings, plus

6) 48v20Ah Lithium battery, 800 cyclings, plus



Grass



Supermarket



Walk with pet



Stand Drive for fun



Phone Holder & Charging Dock



GOLF RACK



Luxury Mobility Scooter Seat